

SC Pentagon SRL

Tel/fax:0236/412.088

Depozite:Galati,Constanta,Tulcea si Braila

www.PentagonRomania.ro; office@pentagonromania.ro

Page

Qualities and Applications

148

General Information

209

ASVS, abrasive discs for flexible boring and drilling machines

210

ASB, mounting arbor for ASVS, incl. spring washer and nut

210

ASVT, for right angle grinders, with reinforced fibre backing

211



### General Information

Our AS surface preparation fleece consists of a coarse Polyamide fleece impregnated with aggressive abrasive grit particles.

### Recommendations for use

Products using our AS surface preparation fleece are ideally suited for the following applications :

- removal of paint and adhesives
- removal of cement and concrete residues
- de-rusting, restoring and polishing of a wide variety of surfaces
- graining and the finishing of wood
- de-rusting and preparation work on boats and ships, eg, removing barnacles
- surface preparation of floors and various applications for car-body repair work

### Safety regulations



Please take care that our recommended cutting speed is not exceeded.

### Characteristics

- less generation heat
- "soft" grinding action
- no glazing/loading
- no damage to workpieces

## 210 AS-cleaning fleece

**ASVS,  
abrasive discs for  
flexible boring and  
drilling machines**




Description	D mm	T mm	H mm	n recommended (1/min)	n max. (1/min)	Retaining bolt	
ASVS 060	60	13	10	8000	9500	ASB 6	■
ASVS 100	100	13	10	5000	5700	ASB 6	■
ASVS 125	125	13	10	4000	4500	ASB 8	■
ASVS 150	150	13	10	3000	3800	ASB 8	■

Packing unit: 10 pcs.; for Ø 150 mm: 5 pc.

Ordering example: ASVS 125

**ASB,  
mounting arbor for  
ASVS,  
incl. spring washer  
and nut**




Description	d <sub>2</sub> mm	l <sub>1</sub> mm				
ASB 06	6	60				■
ASB 08	8	60				■

Packing unit: 1 pc.

Ordering example: ASB 06

**ASVT,  
for right angle grinders,  
with reinforced fibre backing**



Description	D mm	T mm	H mm	n recommended (1/min)	n max. (1/min)		
ASVT 115	115	13	22,3	4000	4900		■
ASVT 125	125	13	22,3	4500	4500		■

Packing unit: 10 pcs.

Ordering example: ASVT 125

Usable without supporting-plate on adjustable and slow-speed angle grinders.