

AS-Cleaning fleece

222 Qualities and Applications

352 General Information

353 ASVS, abrasive discs for flexible boring and drilling machines

353 ASB, mounting arbor for ASVS

354 ASVT, for right angle grinders, with reinforced fibre backing



Product line marking

Product lines are labelled in the table header with the appropriate tabs. Further information on page **14** and **15**.



Information

General Information

Our AS surface preparation fleece consists of a coarse Polyamide fleece impregnated with aggressive abrasive grit particles.

Recommendations for use

Products using our AS surface preparation fleece are ideally suited for the following applications:

- removal of paint and adhesives
- removal of cement and concrete residues
- de-rusting, restoring and polishing of a wide variety of surfaces
- graining and the finishing of wood
- de-rusting and preparation work on boats and ships, eg, removing barnacles



- surface preparation of floors and various applications for car-body repair work
- preparation work on welding seams – before and after welding

Safety regulations


Please take care that our recommended cutting speed is not exceeded.

Characteristics

- less generation heat
- “soft” grinding action
- no glazing/loading
- no damage to workpieces


Industry
ASVS, Abrasive discs for flexible boring and drilling machines
Ordering example: A22900601201

Packing unit:
 10 pcs. per type,
 from Ø 150 mm = 5 pcs. per type

Description	D mm	T mm	H mm	n recom. (1/min)	n max. (1/min)	Retaining bolt	Product-Number	recommended for	
ASVS 060	60	13	10	8.000	9.500	ASB 6	A22900601201	① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨	■
ASVS 100	100	13	13	5.000	5.700	ASB 6	A22901001201	① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨	■
ASVS 125	125	13	13	4.000	4.500	ASB 8	A22901251201	① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨	■
ASVS 150	150	13	13	3.000	3.800	ASB 8	A22901501201	① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨	■


Industry
ASB, Mounting arbor for ASVS, incl. spring washer and nut
Ordering example: A1610021007301

Packing unit:
 1 pc. per type

Description	d ₂ mm	l ₁ mm	Product-Number																		
ASB 06	6	60	A1610021007301																		■
ASB 08	8	60	A1610021007302																		■




354 AS-Cleaning fleece



Industry

ASVT, for angle grinder, with reinforced fibre backing

Ordering example: A270111500114



Packing unit:
10 pcs. per type

Description	D mm	T mm	H mm	n recom. (1/min)	n max. (1/min)	Product-Number	recommended for	
ASVT 115	115	13	22,3	5.300	10.500	A270111500114	① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨	■
ASVT 125	125	13	22,3	4.900	9.600	A270112500114	① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨	■

Usable without supporting-plate on adjustable and slow-speed angle grinders.